Technical datasheet

PU Linear 75 ATK10-13 Steel




Article code: TBPU000152

General information							
Productgroup	Timing belts, PU Lin	lear					
Industry segment	General industry; C	ontainer & pack	aging; Wood: Panel board				
Main product feature	Positive drive, Self-	alignment, Wea	r resistant				
Belt construction							
Tension member		steel					
Material	body	Polyurethan	e				
Surface	tooth side	Polyurethan	e				
	back side	Polyurethan	e				
Characteristics							
Food Grade (FG)	no						
Antistatic (AS)	no						
Oil & Fat resistance	good						
Technical data							
	C1			4710			
Tooth	profile			AT10			
	pitch				mm	0.39	in.
Hardness body material	ISO 868			92A	Shore		
Belt thickness				4.5	mm	0.18	in.
Coefficient of friction	tooth side to steel		dynamic	0,5			
			static	0,6			
Operating temperature	continuous		from / to	-10 / 80	°C	14 / 176	°F
Minimum pulley diameter	A) without counter	flexing	number of teeth, t1	25			


		-,	-,-			
		static	0,6			
Operating temperature	continuous	from / to	-10 / 80	°C	14 / 176	°F
Minimum pulley diameter	A) without counter flexing	number of teeth, t1	25			
		d1	77.73	mm	3.06	in.
		d2	80	mm	3.15	in.
	B) with counter flexing	number of teeth, t1	25			
		d1	77.73	mm	3.06	in.
		d2	120	mm	4.72	in.
Belt width			75	mm	2.95	in.
Endless length	minimum		500	mm	19.69	in.
Manufacturing length	standard		100000	mm	328.08	ft.

Reference images

A) without counter flexing



B) with counter flexing



Fabrication

This information on the fabrication options is general, please contact Ammeraal Beltech for the specific fabrication possibilities of the timing belt of your choice.

Open end, prepared splice, spliced endless with mechanical fastener or a pin joint fastener.

Cleats welded or mechanically attached, metal teeth, guides welded or glued.

Covers can be welded, glued, coated or vulkanized onto the back side of the timing belt.

Thermoplastic covers can be embossed. Perforations, lateral and logitudinal slots, lateral and longitudinal profiles.

Additional Information

Tooth profile according to standard: metric ISO 17396, imperial ISO 5296-1, curvilinear ISO 13050, depending on the belt type. This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ. Consult our specialists for further information like technical calculations. Instructions regarding joining, storage & maintenance and tracking & tensioning.

Standard belt width [mm]	Allow. tensile load Linear open end & Torque [N]	Allow. tensile load Linear welded endless [N]	Spring force [N]
10	1125	562.5	330000
16	1850	925	560000
25	3750	1875	95200
32	5000	2500	1232000
50	7500	3750	1960000
75	12000	6000	2968000
100.1	16000	8000	3920000

Speed rpm [1/min]	Specific tooth force [N/mm]	Specific power [W/mm]
0	7.57	0
25	7.423	0.031
50	7.306	0.061
75	7.18	0.09
100	7.078	0.118
150	6.895	0.172
200	6.713	0.224
300	6.418	0.321
400	6.153	0.41
500	5.921	0.493
750	5.452	0.682
1000	5.085	0.848
1250	4.789	0.998
1500	4.536	1.134
1750	4.32	1.26
2000	4.128	1.376
3000	3.53	1.765
4000	3.094	2.063

Standard

Because of continuous development, the presented data is subject to alteration. This data replaces that included in previous publications. Ammeraal Beltech excludes any liability for the incorrect use of the above stated information. Subject to the general terms and conditions of sale and delivery, as applied by its operating companies, are all activities performed and services rendered by Ammeraal Beltech.