Technical datasheet

PU moulded 1200 MXL Steel





Article code: TBUM000300


General information								
Productgroup	Timing belts, PU Moulded							
Industry segment	General industry; Wood; Building materials: Stone & ceramics, Bricks & tiles							
Main product feature	Positive drive, No	Positive drive, Non-marking, Wear resistant						
Belt construction								
Tension member		steel						
Material	body Polyurethane							
Surface	tooth side	Polyurethar	ne					
	back side	Polyurethar	ne					
Characteristics								
Food Grade (FG)	no							
Antistatic (AS)	no							
Oil & Fat resistance	yes							
Technical data								
Tooth	profile			MXL				
	pitch			2.032		0.08	in.	
Hardness body material	ISO 868				Shore			
Belt thickness					mm	0.05		
Belt weight					kg/m²	0.25	lbs/ft²	
Coefficient of friction	tooth side to steel		dynamic	0,5	06	22 / 176	05	
Operating temperature	continuous A) without counter flexing		from / to	-30 / 80	ະເ	-22 / 176	۳۲	
Minimum pulley diameter	A) without counte	er nexing	number of teeth, t1 d1	9.19	m m	0.36	in	
			d1 d2		mm	0.30		
	B) with counter f	exina	number of teeth, t1	13		0.55		
	by man counter n	e.ang	d1	11.13	mm	0.44	in.	
			d2		mm	0.59		
Belt width	maximum				mm	11.81		
Belt length				304.8	mm	12	in.	

Reference images

Side view







Fabrication

This information on the fabrication options is general, please contact Ammeraal Beltech to inquire for the specific fabrication possibilities of the timing belt of your choice.

Cleats welded or mechanically attached, metal teeth, guides welded or glued.

Covers can be welded, glued, coated or vulkanized onto the back side of the timing belt.

Thermoplastic covers can be embossed.

Perforations, lateral and logitudinal slots, lateral and longitudinal profiles.

Additional Information

Tooth profile according to standard: metric ISO 17396, imperial ISO 5296-1, curvilinear ISO 13050, depending on the belt type.

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ. Consult our specialists for further information like technical calculations. Instructions regarding joining, storage & maintenance and tracking & tensioning.

Standard

Because of continuous development, the presented data is subject to alteration. This data replaces that included in previous publications. Ammeraal Beltech excludes any liability for the incorrect use of the above stated information. Subject to the general terms and conditions of sale and delivery, as applied by its operating companies, are all activities performed and services rendered by Ammeraal Beltech.