Technical datasheet

## Flexam EM 8/2 A18+05 light blue M1 FG



Article code: SBFL589712

General information	
Product group	Synthetic Belts
Industry segment	Food
Main product feature	Foodgrade
Indication of use	Slider bed, Rollers, Flat

Belt construction					
Tension layer		polyester, stable			
Number of plies		2			
Top side	material	Flexam, PVC			
	finish	smooth, M1 Fine matt finish			
	color	Light blue			
Bottom side	material	Flexam, PVC			
	finish	profile, A18 Fine square profile			
	color	Light blue			

Characteristics		
Food Grade (FG)	yes	FDA
Antistatic (AS)	no	
High conductive (HC)	no	
ATEX approval	no	

Technical data										
Hardness	ISO 868	top side	80A	Shore						
Force at 1% elongation (static)	ISO 21181		8	N/mm	45.68	lbs/in.				
Thickness	AB method KV.002	total	2.80	mm	0.11	in.				
		top cover	0.40	mm	0.02	in.				
Weight	AB method KV.004		3	kg/m²	0.61	lbs/ft²				
Operating temperature	continuous	from / to	-15 / 80	°C	5 / 176	°F				
	short	from / to	-15 / 100	°C	5 / 212	°F				
Minimum pulley diameter	flexing		40	mm	1.57	in.				
	backflexing		70	mm	2.76	in.				
Manufacturing width	standard		3000	mm	118.11	in.				
	maximum		3000	mm	118.11	in.				

## Fabrication

Hot splicing is always preferable. Glueing can only be done when the belt is exposed to normal temperature and the humidity is not excessive. For the working method, consult the splice information and the equipment literature. Apply the recommended splice as indicated in the separate information.

## Additional information

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ.

We recommend to keep the belt tension to a practical working minimum to maximize the service life of the belt and machine parts.

Always protect belts from sunlight/UV-radiation, avoid temperatures below 10°C and above 40°C, dust and dirt. Store belts in a cool and dry place and if possible in their original packaging.

For details consult 'Storage and handling instructions' or contact our specialist.