Technical datasheet

PU Linear QST 5M Steel NT 12




Article code: TBPU000271

General information						
Productgroup	Timing belts, PU Linea	Timing belts, PU Linear				
Industry segment	Building materials; Ap	Building materials; Appliances; Container & packaging				
Main product feature	Low noise, Positive dri	Low noise, Positive drive, Self-alignment, Wear resistant				
Belt construction						
Tension member		steel				
Material	body	Polyurethan	e			
Surface	tooth side	Polyamide f	abric			
	back side	Polyurethan	e			
Characteristics						
Food Grade (FG)	no					
Antistatic (AS)	no					
Oil & Fat resistance	yes					
Technical data						
Tooth	profile			QST5M		
				-		


looth	profile		QS15M		
	pitch		5	mm	0.2 in.
Hardness body material	ISO 868		92A	Shore	
Belt thickness			3.6	mm	0.14 in.
Coefficient of friction	tooth side to steel	dynamic	0,3		
Operating temperature	continuous	from / to	-10 / 80	°C	14/176 °F
Minimum pulley diameter	A) without counter flexing	number of teeth, t1	16		
		d1	25.46	mm	1 in.
		d2	30	mm	1.18 in.
	B) with counter flexing	number of teeth, t1	26		
		d1	41.38	mm	1.63 in.
		d2	60	mm	2.36 in.
Belt width			12	mm	0.47 in.
Endless length	minimum		500	mm	19.69 in.
Manufacturing length	standard		100000	mm	328.08 ft.

Reference images

A) without counter flexing



B) with counter flexing



Fabrication

This information on the fabrication options is general, please contact Ammeraal Beltech for the specific fabrication possibilities of the timing belt of your choice.

Open end, prepared splice, spliced endless with mechanical fastener or a pin joint fastener.

Cleats welded or mechanically attached, metal teeth, guides welded or glued.

Covers can be welded, glued, coated or vulkanized onto the back side of the timing belt.

Thermoplastic covers can be embossed. Perforations, lateral and logitudinal slots, lateral and longitudinal profiles.

Additional Information

Tooth profile according to standard: metric ISO 17396, imperial ISO 5296-1, curvilinear ISO 13050, depending on the belt type.

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ. Consult our specialists for further information like technical calculations. Instructions regarding joining, storage & maintenance and tracking & tensioning.

Standard belt width [mm]	Allow. tensile load Linear open end & Torque [N]		Spring force [N]
Speed rpm [1/min]	Specific tooth force [N/mm]	Specific power [W/mm]	
Standard			

Because of continuous development, the presented data is subject to alteration. This data replaces that included in previous publications. Ammeraal Beltech excludes any liability for the incorrect use of the above stated information. Subject to the general terms and conditions of sale and delivery, as applied by its operating companies, are all activities performed and services rendered by Ammeraal Beltech.