Technical datasheet

AmSqueeze 716 A93-A93 2780x260x16mm

Article code: EWMS000352

General information

Product group	endless woven
Industry segment	Food: Meat & poultry
Main product feature	Foodgrade, Abrasion resistant, Oil & grease resistant, Cut resistant
Application	Soft Separator
Indication of use	Special fine structured surface, Abrasive applications

Belt construction

Tension layer		polyester
Number of plies		1
Top side	**material**	Ropanyl, TPU
	finish	profile, A93-Rhombus
	color	white
Bottom side	**material**	Ropanyl, TPU
	finish	profile, A93-Rhombus
	color	white

Characteristics

Food Grade (FG)	yes	EC 1935/2004, EU 10-2011; FDA
Antistatic (AS)	no	
Flame-retardant (FR)	no	

Technical data

Hardness	ISO 868	top side	93A	Shore	
		bottom side	85A	Shore	
Force at 1% elongation	ISO 21181		28	N/mm	159.88 lbs/in.
Thickness		total	16	mm	0.63 in.
		top cover	6.7	mm	0.26 in.
		bottom cover	6.7	mm	0.26 in.
Weight			26.0	kg/m²	5.33 lbs/ft²
Length		from / to	2780	mm	in.
Width		from / to	260	mm	in.
Operating temperature	continuous	from / to	-20 / 90	°C	-4 / 194 °F
	short	from / to	-30 / 110	°C	-22 / 230 °F
Minimum pulley diameter			160	mm	6.3 in.

Tolerances

Length	± 1 %	minimum ±	20	mm	0.79 in.
Width		from / to	-1 / +1	mm	-0.04 / +0.04 in.
Thickness		±	0.2	mm	0.01 in.

Additional information

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ.